

25X1

**Page Denied**

25 YEAR RE-REVIEW

00000004

051/131234Z ZIF-3

BT

XXXX

25X1 [REDACTED] 384

25X1 TOP SECRET 132232Z CITE [REDACTED] 6888

25X1 IMMEDIATE [REDACTED]

25X1 [REDACTED] EYES ONLY COMMANDER

A. BX5714

B. MISSION ALERT MSG

C. 15 AUG/0225Z

25X1 D. [REDACTED]

E. NORTH VIET NAM

F. TYPE I CAMERA, BIRDWATCHER, PIN PEG, BIG BLAST, BLUE

DOG I, SYSTEM VI IF AVAILABLE.

G. BACK-UP ACFT REQUIRED IF AVAILABLE. SAME EQUIPMENT AS PARA  
F, EXCEPT SIP IN LIEU OF SYSTEM VI.

H. DTFC TO LAUNCH BACK-UP ACFT AT APPROX 15 AUG/0325Z IN EVENT  
PRIMARY ACFT GROUND/AIR ABORTS. THIS ALERT FOR BLACK SHIELD CANNED  
MSN NBR 20. FIRST PASS ROUTE CHARLIE. SECOND PASS ROUTE DELTA.

25X1 REQUEST CONFIRMATION [REDACTED] SOONEST.

TOP SECRET

BT

TOP SECRET

FROM: Mission Coordinator

13 AUG 1967

SUBJECT: Mission Alert Notification

TO: (See Below)

Request your attendance at the Commander's Briefing to be held  
in the Operations Briefing Room on 14 AUG 1967 at1300 455 L. The briefing concerns the following:

1. Mission Code Name and Number: BX 6714
2. Date/Time of Launch (H-Hour): 15 AUG / 0225Z / 1125 L.
3. Ground Spare (H+1:00): 15 AUG / 0325Z / 1225 L.
4. Bases: Takeoff KADENA Staging —, Landing KADENA.
5. Equipment required: TYPE I CAMERA, B/W, PIN PEG,  
BIG BLAST, BLUE DOG II, SYSTEM VI If Available.
6. Ground Spare Requirements: SAME AS PRIMARY  
EXCEPT SIP IN LIEU OF SYSTEM VI
7. Special Instructions/Comments: —

FOR THE COMMANDER

Mission Coordinator

<u>Office</u>	<u>Time(L)</u>	<u>Recipient</u>	<u>Office</u>	<u>Time(L)</u>	<u>Recipient</u>
CMDR	_____	_____	DCOL	_____	_____
DCO	_____	_____	DCOC/MC	_____	_____
DCM	_____	_____	DCOMI	_____	_____
DCS	_____	_____	DCOW	_____	_____
SECUR	_____	_____	COMMO	_____	_____
FLT SURG	_____	_____	AFCS	<u>0750L</u>	(Notify Only)
DCOM	_____	_____	TTFC(SAC)	_____	(Notify Only)

TOP SECRET

TCZC069

667/132310Z ZFF-1

BT

XXXXXX

25X1

25X1

TOP SECRET 132300Z CITI [REDACTED] 6901

25X1

IMMEDIATE [REDACTED]

25X1

A. MISSION BXG714

B. EUS SETTINGS MESSAGE

C. EUS EQUIPMENT TO BE INSTALLED: PIN PEG, BIG BLAST, BLUE DOG IX.

D. MODE OF BIG BLAST TURN ON: EITHER/OR MODE. (EITHER PIN PEG OR BLUE DOG WILL TURN ON BIG BLAST.)

E. (1) PIN PEG PARAMETERS:

(1) RF - ACCEPT THE FOLLOWING:

(S BAND) 2940 TO 3065

(C BAND) 4910 TO 5090

(B) PULSE WIDTH - ACCEPT THE FOLLOWING:

PULSE WIDTHS .2 TO 1.2 MICROSECONDS

(C) PRF - ACCEPT THE FOLLOWING:

AT "S" BAND PRFS FROM 2350 TO 2530 PULSES PER SECOND.

AT "C" BAND PRFS FROM 1740 TO 2070 PULSES PER SECOND.

(D) SCAN RATE - ACCEPT FOLLOWING:

"S" BAND - SCAN RATES FROM 13.5 TO 18.5 SCANS PER

**Page Denied**

Next 1 Page(s) In Document Denied

DCOM

14 AUG 67 01 48z

25X1 70ZC058

666/132258Z ZPO [ ] ZFF-1

BT

XXXXX

25X1 [ ]

22447

25X1

TOP SECRET 132245Z CITE [ ] 6902

25X1

IMMEDIATE [ ]

25X1 [ ]

A. BX6714

B. MISSION PLAN MESSAGE ONE

C. BLACK SHIELD CANNED ROUTE TWENTY, SURE HIT DEPARTURE (A/R ONE), STEEL BRIDGE WITHDRAWAL (A/R TWO), STEEL BRIDGE RECOVERY (A/R THREE).

D. NONE

E. NONE

TOP SECRET

BT

NNNN

DCOM

ZCZC091

673/140132Z ZFF-1

BT

XXXXX

25X1

25X1

TOP SECRET 132348Z CITE 6909

25X1

IMMEDIATE

25X1

22451

14 AUG 67 02 07z

A. BX6714

B. MISSION PLAN MESSAGE (THREE)

C. STANDBY 2: PB02/000

ON: PD01/000

STANDBY 2: PG01/000

ON: RD02/000

STANDBY 2: RF01/000

ON: SA01/000

STANDBY 2: SB01/000

D. AD01/000 AND PG01/000

PK01/000 AND RF01/000

RJ01/000 AND SE02/000

3. PE02/017 AND PF01/000

RD02/080 AND RE02/000

SA01/065 AND SB01/000

F. PSR: N/A

G. SESR: N/A

SEPNR: N/A

SEPC: N/A

SESC: N/A

H. PRIMARY ACFT

BACK-UP ACFT

15/0246Z

15/0346Z

15/0421Z

15/0521Z

15/0550Z

15/0650Z

I. 75M/3.1

J. NONE

TOP SECRET

BT